
APPENDIX K

LCIA SUPPORTING TABLES

this page intentionally left blank

APPENDIX K

LCIA SUPPORTING TABLES

Table K-1. Fuel conversion factors

Fuel	Heat Value (H) (MJ/L)	Reference	Density (D) (kg/L)	Reference
Fuel oil # 2 (distillate)	36.739	(1)	0.843	(2)
Fuel oil # 6 (residual)	38.579	(1)	0.944	(2)
Fuel oil # 4 (average # 2 & # 6)	37.659	(1)	0.894	(2)
Liquified natural gas (LNG) ^a	21.185	(3)	0.412	(4)
Liquified petroleum gas (LPG)	23.276	(1)	0.542	(2)
Natural gas	0.034	(5)	7.58x 10 ⁻⁴	(6)

^a At -260 ° F; 1 ft³ of liquid methane = 630 ft³ of gaseous methane.

References:

1. Davis, S.C. 1999. *Transportation Energy Data Book, Edition 19*. 1999. Center for Transportation Analysis, Oak Ridge National Laboratory, ORNL 6958, Appendix B, Table B1. Oak Ridge, Tennessee. September.
2. Energy Information Administration (EIA) 1999. *International Energy Annual 1997*. U.S. Department of Energy. DOE/EIA-0219 (97), Washington, DC. April.
3. Natural Gas Vehicle Quick Reference Fuel Guide. http://naturalfuels.com/quick_ref_fuel_guide.htm. Downloaded 8/25/00.
4. Perry, R.H. and Green, D. (Eds.) 1984. *Perry's Chemical Engineer's Handbook*, 6th Edition, page 9-14. McGraw Hill, Inc., New York, NY.
5. Based on: Wang, M. 1999. *The Greenhouse Gases, Regulated Emissions, and energy Use in Transportation (GREET) Model*, Version 1.5. Argonne National Laboratory, University of Chicago.
6. Calculated from: Perry, R.H. and D. Green (Eds.) 1984. *Perry's Chemical Engineer's Handbook*, 6th Edition, page 9-15, Table 9-13, and p. 9-16, Table 9-14. McGraw-Hill, Inc., New York, NY.

APPENDIX K

Table K-2. Global warming potentials (GWP)

Chemical	Synonym	CAS #	GWP ^a
carbon dioxide	CO ₂	124-38-9	1
trifluoromethane	HFC-23	75-46-7	11,700
difluoromethane	HFC-32	75-10-5	650
methyl fluoride	HFC-41	593-53-3	150
1,1,1,2,2,3,4,5,5,5-decafluoropentane	HFC-43-10mee20.8	138495-42-8	1300
pentafluoroethane	HFC-125	354-33-6	2800
1,1,2,2-tetrafluoro-1,2-diiodoethane	HFC-134	359-35-3	1000
1,1,1,2-tetrafluoroethane	HFC-134a	811-97-2	1300
1,1-difluoroethane	HFC-152a	75-37-6	140
1,1,2-trifluoroethane	HFC-143	430-66-0	300
1,1,1-trifluoroethane	HFC-143a	420-46-2	3800
1,1,1,2,3,3,3-heptafluoropropane	HFC-227ea	431-89-0	2900
1,1,1,3,3,3-hexafluoropropane	HFC-236fa	690-39-1	6300
1,1,2,2,3-pentafluoropropane	HFC-245ca	679-86-7	560
sulfur hexafluoride	sulfur hexafluoride	2551-62-4	23,900
carbon tetrafluoride	perfluoromethane	75-73-0	6500
hexafluoroethane/Freon 116	perfluoroethane	76-16-4	9200
octafluoropropane	perfluoropropane	76-19-7	7000
decafluorobutane	perfluorobutane	355-25-9	7000
cyclooctafluorobutane	perfluorocyclobutane	115-25-3	8700
dodecafluoro-pentane	perfluoropentane	678-26-2	7500
tetradecafluorohexane	perfluorohexane	355-42-0	7400
methane	methane	74-82-8	21
nitrous oxide	nitrous oxide	10024-97-2	310

^a IPCC's 1995 GWP estimates, 100-year time horizon. Because of the difficulties in calculating indirect effects of CFCs and halons, no indirect values were included.

Source: Houghton *et al.* 1996.

Table K-3. Ozone depletion potentials (ODP)

Chemical	Synonym(s)	CAS #	Ozone Depletion Potential ^c	
			ODP ^a	ODP ^b
1,1,1-trichloroethane ^c	methyl chloroform	71-55-56	0.12	0.1
1,2,2-trichloroethane ^c	methyl chloroform	79-00-5	--	--
CFC-11 ^c	trichlorofluoromethane	75-69-4	1	1.0
CFC-113 ^c	trichlorotrifluoroethane	76-13-1	1.07	0.8
CFC-114 ^c	dichlorotetrafluoroethane	76-14-2	0.8	1.0
CFC-115 ^c	(mono)chloropentafluoroethane	76-15-3	0.5	0.6
CFC-12 ^c	dichlorodifluoromethane	75-71-8	1	1.0
CFC-13 ^c	chlorotrifluoromethane	75-72-9	1	1.0
CFC-111 ^c	pentachlorofluoroethane	354-56-3	--	1.0
CFC-112 ^c	tetrachlorodifluoroethane	76-12-0	--	1.0
CFC-211 ^c	heptachlorofluoropropane	N/A	--	1.0
CFC-212 ^c	hexachlorodifluoropropane	76564-99-3	--	1.0
CFC-213 ^c	pentachlorotrifluoropropane	2354-06-5	--	1.0
CFC-214 ^c	tetrachlorotetrafluoropropane	2268-46-4	--	1.0
CFC-215 ^c	trichloropentafluoropropane	4259-43-2	--	1.0
CFC-216 ^c	dichlorohexafluoropropane	661-97-2	--	1.0
CFC-217 ^c	monochloroheptafluoropropane	422-86-6	--	1.0
CHF2Br	HBFC-22B1; bromodifluoromethane	1511-62-2	0.74	--
carbon tetrachloride ^c	tetrachloromethane	56-23-5	1.08	1.1
HALON-1201	--	--	1.4	--
HALON-1202	difluorodibromomethane	75-61-6	1.25	--
HALON-1211 ^c	bromochlorodifluoromethane	353-59-3	4	3.0
HALON-1301 ^c	bromotrifluoromethane	75-63-8	16	10.0
HALON-2311	--	--	0.14	--
HALON-2401	--	--	0.25	--
HALON-2402 ^c	dibromotetrafluoroethane	124-73-2	7	6.0
HCFC-123 ^d	2,2-dichloro-1,1,1-trifluoroethane	306-83-2	0.02	0.02
HCFC-124 ^d	2-chloro-1,1,1,2-tetrafluoroethane	2837-89-0	0.022	0.02
HCFC-141b ^d	1,1-dichloro-1-fluoroethane	1717-00-6	0.11	0.1
HCFC-142b ^d	1-chloro-1,1-difluoroethane	75-68-3	0.065	0.06
HCFC-22 ^d	chlorodifluoromethane	75-45-6	0.055	0.05
HCFC-225ca ^d	3,3-dichloro-1,1,1,2,2-pentafluoropropane	442-56-0	0.025	--
HCFC-225cb ^d	1,3-dichloro-1,1,2,2,3-pentafluoropropane	507-55-1	0.033	--
bromomethane ^c	methyl bromide	74-83-9	0.6	0.7

^a Source: Heijungs *et al.* 1992.

^b Listed in Title VI of the 1990 Clean Air Act Amendments (CAAA).

^c Class I substance as listed in Title VI of the 1990 CAAA..

^d Class II substance as listed in Title VI of the 1990 CAAA. (Additional Class III substances listed in the CAAA but not listed here currently have no ODP data.)

^e Weight ratios, compared to CFC-11 = 1.

-- represents no data.

Table K-4. Photochemical oxidant creation potentials (POCP)

Chemical/Material	Synonym(s)	CAS #	POCP ^a
1,1,1-trichloroethane	methyl chloroform	71-55-6	0.021
1,2-dichloroethane	ethylene dichloride	107-06-2	0.021
acetone	--	67-64-1	0.178
acetylene	--	74-86-2	0.168
alcohols ^b	--	N/A	0.196
aldehydes ^b	--	N/A	0.443
benzene	--	71-43-2	0.189
caprolactam	aminocaproic lactum	105-60-2	0.761
chlorophenols ^b	--	20-05-3	0.761
crude oil ^b	--	8002-05-9	0.398
C _x H _y ^b	hydrocarbons	N/A	0.398
C _x H _y aliphatic ^b	aliphatic hydrocarbons	N/A	0.398
C _x H _y aromatic ^b	aromatic hydrocarbons	N/A	0.761
C _x H _y chloro ^b	chlorinated hydrocarbons	N/A	0.021
dichloromethane	methylene chloride	75-09-2	0.021
diethyl ether	ethyl ether	66-29-7	0.398
diphenyl	biphenyl	92-52-4	0.761
ethanol	ethyl alcohol	64-17-5	0.268
ethene	ethylene	74-85-1	1
ethylene glycol	--	107-21-1	0.196
ethylene oxide	--	75-21-8	0.377
formaldehyde	--	50-00-0	0.421
hexachlorobiphenyl	2,2',4,4',5'5'-hexachloro-1,1-biphenyl	35065-27-1	0.761
hydroxy compounds ^b	--	N/A	0.377
isopropanol	isopropyl alcohol; 2-propanol	67-63-0	0.196
ketones ^b	--	N/A	0.326
methane	--	74-82-8	0.007
methyl ethyl ketone	MEK	78-93-3	0.473
methyl mercaptan	--	74-93-1	0.377
naphthalene	--	91-20-3	0.761
non methane VOC ^b	--	N/A	0.416
PAH ^b	PAC; polycyclic aromatic hydrocarbons	N/A	0.761
pentane	--	109-66-0	0.408
petrol ^b	gasoline	N/A	0.398
phenol	--	108-95-2	0.761
phthalic acid anhydride	phthalic anhydride	85-44-9	0.761
propane	--	74-98-6	0.42
propene	propylene	115-07-1	1.03
propionaldehyde	propanal	123-38-6	0.603

Table K-4. Photochemical oxidant creation potentials (POCP)

Chemical/Material	Synonym(s)	CAS #	POCP ^a
styrene	vinyl benzene	100-42-5	0.761
terpentine ^b	--	N/A	0.377
tetrachloromethane	carbon tetrachloride	56-23-5	0.021
toluene	--	108-88-3	0.563
trichloroethene	trichloroethylene	79-01-6	0.066
vinyl acetate	--	108-05-4	0.223
vinyl chloride	--	75-01-4	0.021

Source: Heijungs *et al.* 1992.

-- represents no data.

Table K-5. Acidification potentials (AP)

Chemical	Synonym(s)	CAS #	AP ^a
ammonia	NH ₃	7664-41-7	1.88 ^b
hydrochloric acid	HCl	7647-01-0	0.88 ^b
hydrofluoric acid	hydrogen fluoride, HF	7664-39-3	1.6 ^b
nitric oxide	NO	10102-43-9	1.07 ^b
nitrogen dioxide	NO ₂	10102-44-0	0.7 ^b
nitrogen oxides	NO _x	N/A	0.7 ^b
sulfur dioxide	SO ₂	7446-09-5	1 ^b
sulfur oxides	SO _x	N/A	1 ^b
sulfur trioxide	SO ₃	7446-11-9	0.80 ^c
nitric acid	HNO ₃	7697-37-2	0.51 ^c
sulfuric acid	H ₂ SO ₄	7664-93-9	0.65 ^c
phosphoric acid	H ₃ O ₄ P	7664-38-2	0.98 ^c
hydrogen sulfide	H ₂ S	7783-06-4	1.88 ^c

^a Ratios per equal weights, compared to SO₂, SO_x = 1 for emissions to air.

^b Source: Heijungs *et al.* 1992.

^c Source: Hauschild and Wenzel 1997.

Table K-6. Eutrophication potential nutrient enrichment chemicals

Chemical/Parameter (releases to water)	Synonym	CAS #	EP ^a
COD	chemical oxygen demand	N/A	0.022 ^b
ammonia	NH ₃	7664-41-7	0.33 ^b
ammonium ion	NH ₄ ⁺	N/A	0.33 ^b
total nitrogen	N	N/A	0.42 ^b
phosphate	PO ₄ ⁻³	N/A	1.0 ^b
total phosphorus	P	N/A	3.06 ^b
nitrate	NO ₃ ⁻	NA	0.10 ^c

^a Ratios per equal weights, compared to phosphate = 1.

^b Source: Heijungs *et al.* 1992.

^c Source: Lindfors *et al.* 1995.

NOTE: Eutrophication potentials for releases to air are available but not used in this methodology because partitioning between air and water phases is not considered in this methodology.

Table K-7. Odor threshold values (OTV)

Chemical	Synonym(s)	CAS #	OTV (mg/m ³)
acetaldehyde	ethanal	75-07-0	0.00027 ^a
acetic acid	succinate	64-19-7	0.061 ^a
acetonitrile	methyl cyanide	75-05-8	<67 ^b
acetophenone	acetylbenzene	98-86-2	1.5 ^b
acrolein	2-propenal	107-02-8	0.069 ^a
acrylic acid	propenoic acid	79-10-7	0.27 ^b
acrylonitrile	vinyl cyanide	107-13-1	3.4 ^b
ammonia	NH ₃	7664-41-7	1.0 ^a
aniline	--	62-53-3	38 ^b
benzene	--	71-43-2	108 ^b
benzyl chloride	alpha-chlorotoluene	100-44-7	0.21 ^b
1,3-butadiene	butadiene	106-99-0	1 ^b
butanal	butyraldehyde	123-72-8	0.00084 ^a
butanoic acid	butyric acid	107-92-6	0.00035 ^a
1-butanol	butyl alcohol, -	71-36-3	0.077 ^a
2-butanone	methyl ethyl ketone	78-93-3	0.68 ^a
n-butylacetate	--	123-86-4	0.031 ^a
butylacrylate	--	141-32-2	0.0015 ^a
n-butylpropionate	--	590-01-2	0.086 ^a
carbon disulfide	CS ₂	75-15-0	0.18 ^a
carbon tetrachloride	tetrachloromethane	56-23-5	884 ^b
carbonyl sulfide	carbon oxysulfide	463-58-1	0.25 ^b
chlorine	--	7782-50-5	0.23 ^b
2-chloroacetophenone	phenyl chloromethyl ketone	532-27-4	0.1 - 0.7 ^b
chlorobenzene	--	108-90-7	1.0 ^a
chloroform	trichloromethane	67-66-3	650 ^b
m-cresol	3-methylphenol	108-93-4	0.00022 - 0.035 ^b
cumene	isopropylbenzene	98-82-8	0.04 ^b
decaline	veraline (-)form	14727-56-1	2.8 ^a
p-dichlorobenzene	1,4-dichlorobenzene	106-46-7	0.73 ^b
dichloromethane	methylene chloride	75-09-2	640 ^a
diethylamine	--	109-89-7	0.09 ^a
dimethylamine	--	124-40-3	0.0014 ^a
1,2-dimethylbenzene	o-xylene	95-47-6	0.78 ^a
1,3-dimethylbenzene	m-xylene	108-38-3	0.54 ^a
1,4-dimethylbenzene	p-xylene	106-42-3	0.52 ^a
1,1-dimethylhydrazine	N,N-dimethylhydrazine	57-14-7	15 - 65 ^b
dioxane	1,4-diethylene dioxide; 1,4-dioxane	123-91-1	2.9 ^b

Table K-7. Odor threshold values (OTV)

Chemical	Synonym(s)	CAS #	OTV (mg/m ³)
ethanal	acetaldehyde	75-07-0	0.00027 ^a
ethanethiol	ethylmercaptan	75-08-1	0.000044 ^a
ethanol	ethyl alcohol	64-17-5	0.64 ^a
ethyl acetate	--	141-78-6	2.1 ^a
ethyl acrylate	--	140-88-5	0.00082 ^a
2-ethyl-5,5-dimethyl-1,3-dioxane	--	--	0.0000056 ^a
ethyl butyrate	--	105-54-4	0.00003 ^a
ethylene dichloride	1,2-dichloroethane	107-06-2	25 ^b
ethylene oxide	oxirane	75-21-8	470 ^b
ethylthioethane	diethylsulfide	352-93-2	0.0014 ^a
hydrazine	--	302-01-2	3.9 - 5.2 ^b
hydrogen sulfide	H ₂ S	7783-06-4	0.00043 ^a
isopentylacetate	iso-amylacetate	123-92-2	0.075 ^a
isophorone	3,5,5-trimethyl-2-cyclohexenone	78-59-1	1.1 ^b
isopropylbenzene	cumene	98-82-8	0.073 ^a
isopropylpropionate	--	637-78-5	0.32 ^a
methanal	formaldehyde	50-00-0	0.49 ^a
methanethiol	methyl mercaptan	74-93-1	0.00024 ^a
methanol	methyl alcohol	67-56-1	5.5 ^b
methyl acetate	acetic acid	79-20-9	22 ^a
methylamine	--	74-89-5	0.0012 ^a
3-methylbutanoic acid	isovaleric acid	503-74-2	0.00022 ^a
methyldithiomethane	dimethyldisulfide	624-92-0	0.0015 ^a
methyl hydrazine	--	60-34-4	1.9 - 5.7 ^b
methyl methacrylate	2-propenoic acid	80-62-6	0.2 ^b
4-methylpentanon-2	methylisobutylketone, MIBK	108-10-1	0.4 ^b
<i>o</i> -cresol	2-methylphenol	95-48-7	0.0018 ^a
<i>m</i> -cresol	3-methylphenol	108-37-4	0.00057 ^a
<i>p</i> -cresol	4-methylphenol	106-44-5	0.00018 ^a
2-methylpropanoic acid	isobutyric acid	79-31-2	0.005 ^a
2-methylpropanol-1	isobutanol	78-73-1	0.035 ^a
2-methylpropene	isobutene	115-11-7	15 ^a
methyl acrylate	2-propenoic acid, methyl	96-33-3	0.01 ^a
methyl propionate	--	554-12-1	3.5 ^a
methylthiomethane	dimethylsulfide	75-18-3	0.0003 ^a
naphthalene	--	91-20-3	0.2 ^b
nitrobenzene	--	98-95-3	906 ^b
pentanal	valeraldehyde	110-62-3	0.0024 ^a

Table K-7. Odor threshold values (OTV)

Chemical	Synonym(s)	CAS #	OTV (mg/m ³)
phenol	--	108-95-2	0.039 ^a
phosphine	--	7803-51-2	0.014 - 2.8 ^b
propanal	propionaldehyde	123-38-6	0.0035 ^a
propanoic acid	propionic acid	79-09-4	0.0052 ^a
2-propanon	acetone	67-64-1	72 ^a
2-propenal	acrolein	107-02-8	0.069 ^a
propionaldehyde	2-propynal	123-38-6	0.003 ^a
propylene dichloride	1,2-dichloropropane	78-87-5	1.2 ^b
propylene oxide	methyloxidrane	75-56-9	24 ^b
pyridine	--	110-86-1	0.12 ^a
quinoline	--	91-22-5	28 ^b
styrene	vinylbenzene	100-42-5	0.068 ^a
styrene oxide	1-phenyl-1,2-epoxyethane	96-09-3	0.3 ^b
tetrachloroethene	perchloroethene; tetrachloroethylene	127-18-4	8.3 ^a
1,1,2,2-tetrachloroethane	acetylene tetrachloride	79-34-5	50 ^b
terephthaloyldichloride	terephthalic acid dichloride	100-20-9	0.0032 ^a
toluene	methylbenzene	108-88-3	0.6 ^b
trichloroethene	trichloroethylene	79-01-6	3.9 ^a
1,1,1-trichloroethane	methyl chloroform	71-55-6	5.3 ^a
2,4,6-trichlorophenol	--	88-06-2	0.00016 ^b
triethylamine	--	121-44-8	1.1 ^b
trimethylamine	--	75-50-3	0.00026 ^a
1,2,4-trimethylbenzene	pseudocumene	95-63-6	0.14 ^a
1,3,5-trimethylbenzene	mesitylene	108-67-8	0.18 ^a
vinyl acetate	--	108-05-4	0.4 ^b
glycol ethers	--	N/A	0.3 ^b
3-methylindole	skatole	83-34-1	0.1 ^b
polycyclic organic matter	--	N/A	0.074 ^b

^a Source: Roos C. 1989 (as cited in Hiejungs *et al.* 1992).

^b EPA 1992. *Reference Guide to Odor Thresholds for Hazardous Air Pollutants Listed in the Clean Air Act Amendments of 1990.* Washington, DC. EPA/600/R/92/047.

NOTE: When values were available from both sources, the lower value was used.

-- represents no data.

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
71-55-6	1,1,1-trichloroethane	--	--	--	2.50e+02	1.21e+03	X	X	48.0	7.0
76-14-2	1,2-dichlorotetrafluoroethane (CFC 114)	--	--	--	2.73e+02	X	X	X	XX	XX
106-99-0	1,3-butadiene	X	1.8	B2,2B	X	2.80e+03	X	X	4.0	1.0
96-48-0	1,4-butanolide	X	X	3	X	X	100	X	XX	XX
107-98-2	1-Methoxy-2-propanol	--	--	--	X	658	X	X	XX	XX
872-50-4	1-Methyl-2-pyrrolidinone (NMP)	--	--	--	X	X	X	40	XX	XX
112-34-5	2-(2-butoxyethoxy)ethanol (glycol ether)	--	--	--	X	X	24	X	XX	XX
124-17-4	2-(2-butoxyethoxy)ethyl acetate	--	--	--	1000	X	X	X	XX	XX
540-84-1	2,2,4-trimethylpentane (Isooctane)	--	--	--	--	--	--	--	XX	XX
51207-31-9	2,3,7,8-Tetrachlorodibenzo Furan	1.50e+04	1.50e+04	3	--	--	--	--	XX	XX
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-Dioxin	1.50e+05	1.50e+05	1	9.00e-08	X	X	X	XX	XX
121-14-2	2,4-Dinitrotoluene	0.68	X	B2	0.2	X	X	X	24.0	6.0
532-27-4	2-Chloroacetophenone	--	--	--	X	X	X	1.0	XX	XX
111-15-9	2-ethoxyl ethylacetate	--	--	--	--	--	--	--	XX	XX
91-57-6	2-Methylnaphthalene	--	--	--	--	--	--	--	XX	XX
138526-69-9	3,4,5-trifluorobromobenzene	--	--	--	--	--	--	--	XX	XX
348-61-8	3,4-difluorobromobenzene	--	--	--	--	--	--	--	XX	XX
56-49-5	3-Methylcholanthrene	--	--	--	X	X	2.86	X	XX	XX
82832-73-3 (d)	4-(4-propylcyclohexyl)cyclohexanone	--	--	--	--	--	--	--	XX	XX
106-41-2	4-bromophenol	--	--	--	--	--	--	--	XX	XX
123-07-9	4-ethylphenol	--	--	--	--	--	--	--	XX	XX
14938-35-3	4-pentylphenol	--	--	--	--	--	--	--	XX	XX
70-70-2	4-propionylphenol	--	--	--	--	--	--	--	XX	XX
3697-24-3	5-Methyl chrysene (category: PAH)	X	X	2B	--	--	--	--	XX	XX
83-32-9	Acenaphthene (category: PAH)	--	--	--	175	X	350	X	XX	XX
208-96-8	Acenaphthylene (category: PAH)	X	X	D	--	--	--	--	XX	XX
75-07-0	Acetaldehyde	Y	7.70e-03	2B	125	300	X	X	34.0	9.0

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
64-19-7	Acetic acid	--	--	--	195	X	X	X	XX	XX
67-64-1	Acetone	X	X	D	100	X	X	X	720	180
98-86-2	Acetophenone	--	--	--	423	X	X	X	XX	XX
74-86-2	Acetylene	--	--	--	--	--	--	--	XX	XX
107-02-8	Acrolein	X	X	C,3	--	--	--	--	XX	XX
No CAS #	Aluminium (Al3+)	--	--	--	--	--	--	--	3.6	0.36
7429-90-5	Aluminum (Al)	X	X	SAR0	60	X	X	X	XX	XX
1344-28-1	Aluminum oxide	--	--	--	--	--	--	--	XX	XX
7664-41-7	Ammonia	--	--	--	34	40	X	X	2.0	9.00e-02
1341-49-7	Ammonium bifluoride	--	--	--	5.10e-02	X	X	X	XX	XX
7789-09-5	Ammonium Dichromate	X	X	A1	--	--	--	--	XX	XX
12125-01-8	Ammonium Fluoride	--	--	--	--	--	--	--	XX	XX
1336-21-6	Ammonium hydroxide	--	--	--	--	--	--	--	XX	XX
1113-38-8	Ammonium Oxalate	--	--	--	--	--	--	--	XX	XX
6009-70-7	Ammonium Oxalate Monohydrate	--	--	--	--	--	--	--	XX	XX
628-63-7	Amyl Acetate (mixed isomers)	--	--	--	--	--	--	--	XX	XX
120-12-7	Anthracene (category: PAH)	X	X	SAR1	1000	X	X	X	0.01	--
7440-36-0	Antimony (Sb)	--	--	--	X	X	0.35	X	14.4	1.6
7440-38-2	Arsenic (As)	1.5	50	A	8.00e-04	X	X	X	14.4	2.1
"20-01-9"	Arsenic compounds [Arsenic (As3+, As5+)]	1.5	X	A,1	8.00e-04	X	X	X	32.0	2.0
7440-39-3	Barium (Ba)	--	--	--	0.21	X	X	X	580	50.0
513-77-9	Barium carbonate	X	X	D	0.21	X	X	X	XX	XX
"20-02-0"	Barium compounds [Barium (Ba++)]	X	X	D	0.21	X	X	X	200	10.0
7727-43-7	Barium Sulfate	X	X	D	0.21	X	X	X	--	--
100-52-7	Benzaldehyde	--	--	--	143	X	X	X	27.0	XX
71-43-2	Benzene	0.055	0.029	A,1	1.0	1.15	10	98	19.0	4.0
56-55-3	Benzo(a)anthracene (category: PAH)	0.73	0.31	B2	--	--	--	--	XX	XX
50-32-8	Benzo(a)pyrene	7.3	3.1	B2,2A	--	--	--	--	XX	XX

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
56832-73-6	Benzo(b,j,k)fluoranthene (category: PAH)	X	X	B2	--	--	--	--	XX	XX
191-24-2	Benzo(g,h,i)perylene (category: PAH)	X	X	D	--	--	--	--	XX	XX
205-99-2	Benzo[b]fluoranthene	0.73	0.31	B2	--	--	--	--	XX	XX
100-44-7	Benzyl chloride	0.17	X	B2,3	--	--	--	--	XX	XX
7440-41-7	Beryllium (Be)	4.3	8.4	X	X	X	X	5.50e-04	XX	XX
92-52-4	Biphenyl (category: PAH)	X	X	SAR0	50	X	X	X	2.0	0.12
68611-71-2 (d)	Blue phosphor (ZnS)	--	--	--	--	--	--	--	XX	XX
1314-98-3	Blue phosphor (ZnS:Ag:Al)	--	--	--	--	--	--	--	XX	XX
1303-96-4	borax	--	--	--	--	--	--	--	XX	XX
11113-50-1	boric acid	--	--	--	67	X	62.5	X	--	--
No CAS #	Boron (B III)	--	--	--	8.8	X	X	X	113	27.0
7440-42-8	Boron (B)	--	--	--	8.8	X	X	X	113	27.0
7726-95-6	Bromine	--	--	--	--	--	--	--	XX	XX
75-25-2	Bromoform	7.90e-03	3.90e-03	B2	17.9	X	X	X	XX	XX
74-83-9	Bromomethane [Methyl bromide]	X	X	C,3	0.4	4.3	X	X	11.0	3.0
7440-43-9	Cadmium (Cd)	X	6.1	B1,1	X	X	4.00e-02	2.20e-02	0.001	0.001
"20-04-2"	Cadmium cmpds (as CdCl2) [Cadmium (Cd++)]	X	X	B1,2A	5.00e-03	X	X	X	0.1	--
75-15-0	Carbon disulfide	--	--	--	X	10	X	X	694	174
630-08-0	Carbon monoxide (CO)	--	--	--	X	114.5	X	55	XX	XX
56-23-5	Carbon tetrachloride	1.30e-01	5.30e-02	B2,2B	1	34.3	X	X	41.0	5.0
No CAS #	Cerium (Ce++)	--	--	--	--	--	--	--	--	--
1306-38-3	Cerium oxide	--	--	--	X	X	X	5.0	XX	XX
No CAS #	Cesium (Cs++)	--	--	--	--	--	--	--	--	--
75-72-9	CFC 13	--	--	--	--	--	--	--	XX	XX
7782-50-5	Chlorine (Cl2)	--	--	--	14.0	X	X	X	0.34	0.02
1341-24-8	Chloroacetophenone	--	--	--	--	--	--	--	XX	XX
108-90-7	Chlorobenzene	X	X	SAR0	12.5	377	X	X	17.0	2.0

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
67-66-3	Chloroform	6.10e-03	8.10e-02	B2,2B	X	X	12.9	X	71.0	18.0
16065-83-1	Chromium (Cr III)	X	X	D	1468	X	X	X	3.3	0.33
7440-47-3	Chromium (Cr)	X	X	1	--	--	--	--	52.0	5.2
1333-82-0	Chromium oxide (chromium trioxide)	X	X	D	1468	X	X	X	XX	XX
18540-29-9	Chromium, hexavalent	X	41	A,1	2.5	X	X	X	22.6	2.23
218-01-9	Chrysene (category: PAH)	7.30e-03	3.10e-03	X	--	--	--	--	XX	XX
No CAS #	Cobalt (Co I, Co II, Co III)	--	--	--	--	--	--	--	--	--
7440-48-4	Cobalt (Co)	--	--	--	--	--	--	--	XX	XX
7440-50-8	Copper (Cu)	X	X	D	5.30e-01	X	X	X	1.40e-02	4.00e-03
No CAS #	Copper (Cu ⁺ , Cu ⁺⁺)	--	--	--	5.30e-01	X	X	X	1.40e-02	4.00e-03
9065-82-1	cresol-formaldehyde resins	--	--	--	--	--	--	--	XX	XX
98-82-8	Cumene	X	X	SAR0	154	537	X	X	6.0	0.49
80-15-9	Cumene hydroperoxide	X	X	SAR1	X	31	X	X	62.0	16.0
57-12-5	Cyanide (CN)	X	X	D	10.8	X	X	X	56.0	5.7
110-82-7	Cyclohexane	X	X	SAR0	X	1500	X	X	5.0	0.39
117-81-7	Di(2-ethylhexyl)phthalate [Bis(2-ethylhexyl)phthalate]	X	X	B2,2B	50	50	X	X	1.0	0.08
53-70-3	Dibenzo(a,h)anthracene	7.3	3.1	B2	--	--	--	--	XX	XX
25321-22-6	Dichlorobenzene (mixed isomers)	X	X	SAR0	X	610.4	X	X	1.0	0.05
75-71-8	Dichlorodifluoromethane (CFC 12)	--	--	--	15	X	X	X	XX	XX
75-09-2	Dichloromethane (Methylene chloride)	7.50e-03	1.65e-03	B2,2B	155	796	X	X	330	83.0
68334-30-5	Diesel fuel	X	X	C	--	--	--	--	XX	XX
60-29-7	Diethyl ether (Ethyl ether)	--	--	--	500	X	X	X	XX	XX
111-46-6	Diethylene Glycol	--	--	--	1250	X	X	X	XX	XX
68-12-2	Dimethyl formamide	--	--	--	X	X	X	7.9	XX	XX
77-78-1	Dimethyl sulfate	X	X	B1,2A	--	--	--	--	XX	XX
57-97-6	Dimethylbenzanthracene	--	--	--	X	X	X	1.40e-02	XX	XX
67-68-5	di-methyl-sulfoxide	--	--	--	X	X	1.0	X	XX	XX
122-62-3	Dioctyl Sebacate	--	--	--	200	X	X	X	XX	XX

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
60-00-4	Edetic Acid (EDTA)	--	--	--	--	--	--	--	473	240
74-84-0	Ethane	--	--	--	--	--	--	--	XX	XX
75-08-1	Ethanethiol [Mercaptans]	--	--	--	--	--	--	--	XX	XX
141-43-5	ethanol amine	--	--	--	320	X	X	12.7	XX	XX
75-00-3	Ethyl chloride	X	X	3	X	3600	X	X	16.0	4.0
100-41-4	Ethylbenzene	X	X	SAR0	136	2370	X	X	11.0	1.0
74-85-1	Ethylene	X	X	SAR0	X	11600	X	X	14.0	3.0
106-93-4	Ethylene dibromide	85	7.60e-01	B2	--	--	--	--	XX	XX
107-06-2	Ethylene dichloride	9.10e-02	9.10e-02	B2,2B	18	221	X	X	136	34.0
unknown	Etoxy Naphtol Sulphonic Acid (ENSA)	--	--	--	--	--	--	--	XX	XX
No CAS #	Ferromanganese (Fe, Mn, C)	--	--	--	--	--	--	--	XX	XX
206-44-0	Fluoranthene (category: PAH)	X	X	D	125	X	X	X	XX	XX
86-73-7	Fluorene (category: PAH)	X	X	D	125	X	X	X	XX	XX
16984-48-8	Fluoride	--	--	--	--	--	--	--	--	--
No CAS #	Fluorides (F-)	--	--	--	6.00e-02	X	X	X	--	--
7782-41-4	Fluorine (F2)	--	--	--	6.00e-02	X	X	X	XX	XX
9002-84-0	Fluorocarbon resin [Tetrafluoroethylene (C2F4)]	X	X	3	--	--	--	--	XX	XX
50-00-0	Formaldehyde (CH2O)	X	4.50e-02	B1,2A	15	0.6	X	X	24.0	6.0
No CAS #	Fuel Oil #2 (distillate and diesel)	--	--	--	--	--	--	--	XX	XX
No CAS #	Fuel Oil #4 (distillate and residual)	--	--	--	--	--	--	--	XX	XX
No CAS #	Fuel Oil #6 (residual)	--	--	--	--	--	--	--	XX	XX
111-76-2	glycol ethers [2-butoxy ethanol]	X	X	C,3	203	121	X	X	1,490	373
unknown	Green Phosphor (ZnS.Cu.Al)	--	--	--	--	--	--	--	XX	XX
68611-68-7 (d)	Green phosphors (ZnS)	--	--	--	--	--	--	--	XX	XX
75-63-8	Halon 1301	--	--	--	--	--	--	--	XX	XX
75-45-6	HCFC 22	--	--	--	X	5,260	X	X	XX	XX

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
422-56-0	HCFC-225ca	--	--	--	--	--	--	--	XX	XX
507-55-1	HCFC-225cb	--	--	--	--	--	--	--	XX	XX
142-82-5	Heptane (n-Heptane)	X	X	D	1,000	X	X	1,630	XX	XX
67-72-1	Hexachloroethane	1.40e-02	1.40e-02	C,3	1.0	X	X	X	1.0	0.35
999-97-3	Hexamethyldisilazane (HMDS)	--	--	--	--	--	--	--	XX	XX
110-54-3	Hexane	--	--	--	X	X	X	73	2.5	0.25
354-33-6	HFC 125	--	--	--	X	2.45e+05	X	X	XX	XX
302-01-2	Hydrazine	3	17	B2	--	--	--	--	4.83	0.48
7647-01-0	hydrochloric acid	X	X	3	X	15	X	X	19.0	0.95
7664-39-3	Hydrofluoric acid (hydrogen fluoride)	--	--	--	--	--	--	--	265	13
74-90-8	Hydrogen Cyanide	X	X	SAR0	10.8	X	30	7.07	1,385	346
7722-84-1	Hydrogen Peroxide	X	X	3	--	--	--	--	XX	XX
7783-06-4	Hydrogen Sulfide	--	--	--	3.1	X	X	15	XX	XX
7790-92-3	Hypochlorous Acid	--	--	--	--	--	--	--	--	--
193-39-5	Indeno(1,2,3-cd)pyrene (category: PAH)	7.30e-01	3.10e-01	B2	--	--	--	--	XX	XX
50926-11-9	Indium tin oxide (ITO)	--	--	--	--	--	--	--	XX	XX
123-92-2	Isopentyl acetate (Amyl Acetate)	--	--	--	--	--	--	--	XX	XX
78-59-1	Isophorone	9.50e-04	X	C	150	X	X	X	XX	XX
67-63-0	Isopropyl alcohol	X	X	1	230	268.3	X	X	8,623	2,156
637-78-5	Isopropylpropionate	--	--	--	--	--	--	--	XX	XX
7439-91-0	Lanthanum (La)	--	--	--	--	--	--	--	XX	XX
7439-92-1	Lead (Pb)	X	X	B2,2B	--	--	--	--	31.5	0.004
"20-11-1"	Lead compounds (as PbCl ₂) [Lead (Pb ⁺⁺ , Pb ⁴⁺)]	X	X	B2,2B	--	--	--	--	5.0	0.26
1317-36-8	Lead oxide	X	X	B2	--	--	--	--	XX	XX
7446-14-2	Lead sulfate cake	X	X	B2	--	--	--	--	60.8	6.08
NA	Liquified petroleum gas (LPG)	--	--	--	--	--	--	--	2600	260
NA	Lithium Salts (Lithine)	--	--	--	--	--	--	--	--	--
NA	LNG (Liquified natural gas)	--	--	--	--	--	--	--	XX	XX

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
7439-96-5	Manganese	X	X	D	0.14	X	X	0.15	--	--
"21-12-2"	Manganese cmpds (as MnCl ₂) [Manganese (Mn II, Mn IV, Mn VII)]	X	X	D	0.14	X	X	0.15	150.0	8.0
7439-97-6	Mercury (Hg)	X	X	D,3	X	6.00e-03	X	9.00e-03	0.155	0.005
no CAS#	Mercury cmpds (as HgCl ₂) [Mercury (Hg ⁺ , Hg ⁺⁺)]	X	X	C	X	X	0.226	X	0.155	0.005
74-82-8	Methane (natural gas)	--	--	--	--	--	--	--	XX	XX
67-56-1	Methanol	X	X	SAR0	500	130	X	X	29,400	7,350
74-87-3	Methyl chloride	1.30e-02	6.30e-03	C,3	X	1138.4	X	1550	550	138
78-93-3	Methyl ethyl ketone	X	X	D	125	8047	X	X	3,220	805
60-34-4	Methyl hydrazine	3	17.2	A3	--	--	--	--	XX	XX
80-62-6	Methyl methacrylate	X	X	SAR0	7.5	111.7	X	X	259	65
1634-04-4	Methyl tert butyl ether	X	X	SAR0	100	2880	X	X	786	197
7439-98-7	Molybdenum (Mo)	--	--	--	X	X	0.14	X	157	0.125
no CAS#	Molybdenum cmpds [Molybdenum (Mo II, Mo III, Mo IV, Mo V, Mo VI)]	--	--	--	--	--	--	--	157	0.125
7803-62-5	Monosilane Gas	--	--	--	--	--	--	--	XX	XX
110-91-8	Morpholine	X	X	3	X	X	X	36		
91-20-3	Naphthalene	X	X	C	71	X	X	9.3	6.0	0.59
79-15-2	N-bromoacetamide (NBA)	--	--	--	--	--	--	--	XX	XX
123-86-4	N-butyl acetate [Butyl acetate]	--	--	--	X	X	X	210	XX	XX
7440-00-8	Neodymium (Nd)	--	--	--	--	--	--	--	XX	XX
7440-02-0	Nickel (Ni)	X	X	A	5	X	X	X	2.48	0.09
"20-14-4"	Nickel cmpds (as NiCl ₂) [Nickel (Ni ⁺⁺ , Ni ³⁺)]	X	X	A,1	--	--	--	--	27	1.0
14797-55-8	Nitrates	--	--	--	1.6	X	X	X	2,213	213
7697-37-2	Nitric Acid	--	--	--	--	--	--	--	26	1.0
14797-65-0	Nitrites (NO ₂ -)	--	--	--	1.6	X	X	X	225	1.0
10102-44-0	Nitrogen Dioxide	--	--	--	--	--	--	--	196	19.6

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
7783-54-2	Nitrogen fluoride (nitrogen trifluoride)	--	--	--	--	--	--	--	XX	XX
no CAS#	Nitrogen Oxides (NOx)	--	--	--	--	--	--	--	XX	XX
10024-97-2	Nitrous oxide	--	--	--	--	--	--	--	XX	XX
10043-35-3	orthoboric acid	--	--	--	67	X	62.5	X	XX	XX
95-47-6	o-xylene	X	X	D	179	X	X	X	16.0	2.0
608-93-5	Pentachlorobenzene	X	X	D	X	X	8.3	X	XX	XX
87-86-5	Pentachlorophenol	X	X	B2	3	X	X	X	XX	XX
109-66-0	Pentane	X	X	D	--	--	--	--	XX	XX
7601-90-3	Perchloric acid	--	--	--	--	--	--	--	XX	XX
76-16-4	Perfluoroethane (Hexafluorocarbon)	--	--	--	X	X	X	1.17e+06	XX	XX
75-73-0	Perfluoromethane (CF4)	--	--	--	--	--	--	--	XX	XX
10450-60-9	Periodic Acid	--	--	--	--	--	--	--	XX	XX
No CAS #	Petroleum	--	--	--	--	--	--	--	XX	XX
85-01-8	Phenanthrene (category: PAH)	X	X	D	--	--	--	--	XX	XX
108-95-2	Phenol	X	X	D,3	60	X	X	X	34.0	8.0
98-67-9	Phenolsulphonic Acid	--	--	--	--	--	--	--	XX	XX
57583-54-7 (d)	Phosphate ester, plastic components	--	--	--	1300	X	X	X	XX	XX
7803-51-2	Phosphine gas	--	--	--	0.026	0.25	X	X	XX	XX
7664-38-2	phosphoric acid	--	--	--	X	50	X	180	70.0	4.0
7723-14-0	Phosphorus	X	X	D	1.50e-02	X	X	X	0.02	--
1314-56-3	Phosphorus Pentoxide	--	--	--	--	--	--	--	--	--
NA	PM [particulates, total]	--	--	--	--	--	--	--	XX	XX
NA	PM-10 [Particulates < 10 microns]	--	--	--	--	--	--	--	XX	XX
1336-36-3	Polychlorinated biphenyl (PCB)	X	X	B2,2A	7.00e-03	X	X	X	3.0	0.14
9016-45-9	Polyethylene mono(nonylphenyl)ether glycol [Tergitol NP-33 (glycol ether)]	--	--	--	1000	X	67.5	X	XX	XX
9002-89-5	Polyvinyl alcohol	X	X	3	--	--	--	--	XX	XX
9003-39-8	Polyvinyl Pyrrolidone (PVP)	X	X	3	550	X	5500	X	XX	XX

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
8486041	PPE [Polyphenylene ether]	--	--	--	--	--	--	--	XX	XX
123-38-6	Propionaldehyde	X	X	SAR3	X	200	X	X	44.0	11.0
115-07-1	Propylene	X	X	SAR0	X	9375	X	X	5.0	1.0
108-32-7	Propylene carbonate	--	--	--	--	--	--	--	XX	XX
57-55-6	propylene glycol	--	--	--	X	170	X	X	XX	XX
108-65-6	propylene glycol monomethyl ether acetate [1-Methoxy-2-propyl Acetate (glycol ether)]	--	--	--	--	--	--	--	XX	XX
129-00-0	Pyrene (category: PAH)	X	X	D	75	X	X	X	XX	XX
68784-83-8 (d)	Red phosphors	--	--	--	--	--	--	--	XX	XX
No CAS#	Red phosphors (Y ₂ O ₃ .S.Eu)	--	--	--	--	--	--	--	XX	XX
No CAS #	Rubidium (Rb ⁺)	--	--	--	--	--	--	--	--	--
7440-20-2	Scandium (Sc)	--	--	--	--	--	--	--	XX	XX
7782-49-2	Selenium (Se)	X	X	D	1.50e-02	X	X	X	XX	XX
7440-21-3	Silicon (Si)	--	--	--	--	--	--	--	XX	XX
7440-22-4	Silver	X	X	D	X	X	1.40e-02	X	4.00e-03	0.001
no CAS#	Silver compounds [Silver (Ag ⁺)]	X	X	D	X	X	1.40e-02	X	12.0	0.001
10588-01-9	Sodium Dichromate	X	X	3	X	X	0.18	0.25	XX	XX
2151247	Sodium Dichromate Dihydrate (VI)	--	--	--	--	--	--	--	XX	XX
13472-35-0	sodium dihydrogen phosphate dihydrate	--	--	--	--	--	--	--	XX	XX
7681-52-9	Sodium Hypochlorite	X	X	3	2.1	X	X	X	XX	XX
7681-57-4	Sodium Metabisulfite	X	X	3	--	--	--	--	XX	XX
7775-27-1	Sodium Persulfate	--	--	--	--	--	--	--	XX	XX
No CAS #	Strontium (Sr II)	--	--	--	190	X	X	X	--	--
7440-24-6	Strontium (Sr)	--	--	--	190	X	X	X	XX	XX
1633-05-2	Strontium carbonate	--	--	--	190	X	X	X	XX	XX
100-42-5	Styrene	X	X	C,2B	100	565	X	X	4.0	0.44
7446-09-5	Sulfur dioxide	X	X	3	X	0.104	X	X	XX	XX
2551-62-4	sulfur hexafluoride	--	--	--	--	--	--	--	XX	XX

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
no CAS#	sulfur oxides (SOx)	--	--	--	--	--	--	--	XX	XX
7664-93-9	sulfuric acid	X	X	1	X	0.1	X	X	31.0	2.0
10124-29-5	Sulfuric acid, aluminum salt	--	--	--	X	X	154	X	XX	XX
127-18-4	tetrachloroethylene	5.20e-02	2.00e-03	B2,2B	14	740.2	X	X	17.0	2.0
109-99-9	Tetrahydrofuran (THF)	--	--	--	782	0.2	X	X	XX	XX
75-59-2	Tetramethyl ammonium hydroxide (TMAH)	--	--	--	--	--	--	--	XX	XX
7440-28-0	Thallium (Tl)	--	--	--	--	--	--	--	XX	XX
7440-29-1	Thorium (Th)	X	X	A	--	--	--	--	XX	XX
7440-31-5	Tin (Sn)	--	--	--	--	--	--	--	626.0	62.6
No CAS #	Tin (Sn ⁺⁺ , Sn ⁴⁺)	--	--	--	--	--	--	--	626.0	62.6
7440-32-6	Titanium	X	X	C	X	0.8	1146	X	--	--
7550-45-0	Titanium tetrachloride	--	--	--	X	9.00e-03	X	X	25.0	1.0
108-88-3	Toluene	X	X	D,3	100	411.1	X	X	34.0	4.0
1025-15-6	triallyl isocyanurate	--	--	--	--	--	--	--	XX	XX
79-01-6	trichloroethylene (TCE)	1.10e-02	6.00e-03	B2,3	24	586.6	X	X	44.0	8.0
75-69-4	Trichlorofluoromethane (CFC 11)	--	--	--	X	X	349	X	XX	XX
1330-78-5	Tricresyl phosphate	--	--	--	--	--	--	--	XX	XX
112-27-6	Triethylene Glycol	--	--	--	X	X	1200	X	8.81e+04	8,810
115-86-6	Triphenyl phosphate	--	--	--	--	--	--	--	XX	XX
7440-33-7	Tungsten (W)	--	--	--	--	--	--	--	XX	XX
1344-59-8	U ₃ O ₈ (yellowcake)	--	--	--	--	--	--	--	XX	XX
7440-61-1	Uranium (U)	X	X	A1	0.2	X	X	X	XX	XX
7440-62-2	Vanadium (V)	--	--	--	3.00e-03	X	X	X	XX	XX
No CAS #	Vanadium (V ³⁺ , V ⁵⁺)	--	--	--	--	--	--	--	--	--
108-05-4	Vinyl acetate	X	X	SAR0	100	176	X	X	100	25.0
75-01-4	Vinyl chloride	1.4	3.08e-02	A,1	X	6.98e+04	X	X	143	36.0
1330-20-7	Xylene (C ₂ H ₃ O) [mixed isomers]	X	X	D	179	X	X	X	13	1.0
7440-66-6	Zinc (Zn)	X	X	D	0.9	X	1	X	9.00e-02	0.036
No CAS #	Zinc (Zn ⁺⁺)	--	--	--	--	--	--	--	17.0	--

Table K-8. Chemicals in the CDP inventory classified as potentially toxic

Cas #	Material	Chronic							Aquatic ecotoxicity	
		oral SF (mg/kg-day) ⁻¹	inhal SF (mg/kg-day) ⁻¹	WOE (EPA & IARC)(a)	oral NOAEL (b) (mg/kg-day)	inhal NOAEL (b) (mg/m ³)	oral LOAEL (b,c) (mg/kg-day)	inhal LOAEL (b,c) (mg/m ³)	fish LC50 (mg/L)	fish NOAEL (mg/L)
14940-68-2	Zircon sand [Zircon (Zr)]	--	--	--	--	--	--	--	XX	XX
7440-67-7	Zirconium (Zr)	--	--	--	3,494	X	X	X	XX	XX

Key:

(a)=See Table 3-3 in Section 3.1.2.12 for a description of WOE classifications.

(b)=only lowest value of the NOAEL (or LOAEL/10) is used to calculate chronic, non-cancer effects

(c)=LOAEL only needed if no NOAEL found

(d)=CAS # was provided by a company, but could not be confirmed.

XX=aquatic toxicity data not needed because there are no waterborne releases of this chemical in the CDP LCIs.

X=data not needed because other data are provided to calculate impact score (e.g., LOAEL not needed if NOAEL provided, and WOE used if SF not available).

SAR0=not a probable carcinogen based on structure-activity relationship (SAR) evaluation.

SAR1=possible carcinogen based on SAR evaluation.

-- =no data available, defaulted to mean hazard value (see Section 3.1.2.12 for an explanation of hazard values).

Sources:

- Oral and inhalation slope factors (SF): Integrated Risk Information System (IRIS) or Health Effects Assessment Summary Tables (HEAST) (EPA, 1994) as cited in Risk Assessment Information System (RAIS): http://risk.lsd.ornl.gov/rap_hp.shtml.
- Weight of Evidence (WOE): IRIS Web site (<http://www.epa.gov/IRIS>).
- Oral no observable adverse effect level (NOAEL), inhalation NOAEL, oral lowest observable adverse effect level (LOAEL) and inhalation LOAEL: IUCLID, 1996; HEAST, 1994; Kincaid and Geibig, 1998; EPA, 2000a; SRC, 2000; EPA, 2000b; Geibig and Swanson, 2000; Sax and Lewis, 1987; NIOSH, 1978; EPA, 1984; and EPA, 1987.
- Fish LC50 and fish NOAEL: EPA, 2001; HSDB; Davis et al. 1994, Appendix E; and Geiger et al., 1984, 1985, 1986, 1988, 1990.

Table K-9. List of Materials Excluded from Toxic Classification

CAS #	Material	Reason for Exclusion ^a
NA	ABS plastic	judgment
21645-51-2	Aluminium Hydroxide (Al(OH) ₃)	GRAS
10043-01-3	Aluminium Sulfate (Al ₂ (SO ₄) ₃)	GRAS
10043-01-3	Aluminum Sulfate (Al ₂ (SO ₄) ₃)	GRAS
7440-37-1	Argon (Ar gas)	judgment
1302-78-9	Bentonite (Al ₂ O ₃ .4SiO ₂ .H ₂ O, in ground)	judgment
NA	BOD (Biological Oxygen Demand)	judgment
106-97-8	Butane (n-C ₄ H ₁₀)	GRAS
25167-67-3	Butene (1-CH ₃ CH ₂ CHCH ₂)	judgment
7440-70-2	Calcium (Ca)	judgment
No CAS #	Calcium (Ca ⁺⁺)	judgment
10043-52-4	Calcium Chloride (CaCl ₂)	judgment
1305-62-0	Calcium hydroxide [Ca(OH) ₂ , hydrated lime]	judgment
7778-18-9	Calcium Sulfate	judgment
124-38-9	Carbon Dioxide (CO ₂)	judgment
NA	Carbonate ion [Carbonates (CO ₃ ⁻⁻ , HCO ₃ ⁻ , CO ₂)]	judgment
NA	COD (Chemical Oxygen Demand)	judgment
16887-00-6	Chloride (Cl ⁻)	judgment
1318-74-7	Clay (in ground)	judgment
NA	Dissolved solids	judgment
No CAS #	Dolomite (CaCO ₃ .MgCO ₃ , in ground)	judgment
26265-08-7	Epoxy resin (PC Board-epoxy resin)	judgment
141-78-6	Ethyl acetate (C ₄ H ₈ O ₂)	GRAS
64-17-5	Ethanol (Ethyl Alcohol)	GRAS
7705-08-0	Ferric chloride (FeCl ₃)	GRAS
NA	Ferrite	judgment
No CAS #	Glass	judgment
7440-59-7	Helium (He)	GRAS
NA	Nonmethane hydrocarbons	judgment
NA	Hydrocarbons (unspecified)	judgment
1333-74-0	Hydrogen gas (H ₂)	judgment
14380-61-1	Hypochlorite (ClO ⁻)	judgment
20461-54-5	Iodide (I ⁻)	judgment
7553-56-2	Iodine (I)	judgment
7439-89-6	Iron (Fe)	judgment
No CAS #	Iron (Fe ⁺⁺ , Fe ³⁺)	judgment
7720-78-7	Iron Sulfate (FeSO ₄ , ore)	judgment
8008-20-6	Kerosene	judgment

Table K-9. List of Materials Excluded from Toxic Classification

CAS #	Material	Reason for Exclusion ^a
7439-90-9	Krypton Gas	judgment
No CAS #	Lignite (in ground)	judgment
1305-78-8	Lime	judgment
471-34-1	Limestone (CaCO ₃ , in ground)	judgment
7439-95-4	Magnesium (Mg)	judgment
No CAS #	Magnesium cmpds [Magnesium (Mg ⁺⁺)]	judgment
7440-01-9	Neon	judgment
7727-37-9	Nitrogen	GRAS
74-98-6	n-propane [Propane (C ₃ H ₈)]	GRAS
NA	Oil & grease	judgment
No CAS #	Olivine ((Mg,Fe) ₂ SiO ₄ , ore)	judgment
144-62-7	Oxalic Acid (C ₂ H ₂ O ₄)	judgment
7782-44-7	Oxygen (O ₂)	judgment
NA	Phosphates (PO ₄ -3)	judgment
9011-87-4	Poly(methyl methacrylate) [PMMA (Acrylic resin)]	judgment
25971-63-5	Polycarbonate resin	judgment
NA	Polycyclic Aromatic Hydrocarbons (PAH, unspecified)	judgment
9002-88-4	polyethylene (PE) foam, cushion	judgment
No CAS #	Polyimide Resin	judgment
9003-53-6	Polystyrene [Styrene, polymer (C ₈ H ₈)]	judgment
7440-09-7	Potassium (K)	judgment
No CAS #	Potassium (K ⁺)	judgment
584-08-7	Potassium carbonate (K ₂ CO ₃)	judgment
7447-40-7	Potassium Chloride (KCl, as K ₂ O, in ground)	judgment
79-09-4	Propionic Acid (CH ₃ CH ₂ COOH)	GRAS
1332-09-8	Pumice	judgment
1309-36-0	Pyrite (FeS ₂ , ore)	judgment
14808-60-7	Silica sand [Silicon dioxide (SiO ₂)]	GRAS
7440-23-5	Sodium (Na)	judgment
No CAS #	Sodium (Na ⁺)	judgment
497-19-8	Sodium carbonate (Na ₂ CO ₃ , soda ash)	judgment
7647-14-5	Sodium Chloride (NaCl, in ground or in sea)	GRAS
1310-73-2	Sodium hydroxide (NaOH)	judgment
9003-55-8	Styrene-butadiene copolymers (C ₁₂ H ₁₄)	judgment
14808-79-8	Sulfates (SO ₄ --)	judgment
18496-25-8	Sulfides (S--)	judgment
14265-45-3	Sulfites (SO ₃ --)	judgment
7704-34-9	Sulfur	judgment

Table K-9. List of Materials Excluded from Toxic Classification

CAS #	Material	Reason for Exclusion ^a
NA	Suspended Solids	judgment
14807-96-6	Talcum (4SiO ₂ .3MgO.H ₂ O, ore)	judgment
No CAS #	TOCs (Total organic compounds)	judgment

^a NOTES:

- (1) GRAS = Generally Regarded as Safe by the U.S. Food and Drug Administration.
- (2) Some materials were excluded based on judgement if they are nutrients: calcium, chloride, iodine, iron, magnesium, phosphorous, potassium, sodium (per the Risk Assessment Guidance for Superfund [RAGS], EPA/540/1-89/002, December 1989 and the RAGS Region IV update).
- (3) This list was reviewed by the U.S. EPA DFE Workgroup (Appendix C, Table C-2).

Table K-10. Chemicals used to calculate mean slope factor values for calculating carcinogenic hazard value

Chemical	CAS #	Oral Slope Factor (mg/kg-day)⁻¹	Inhalation Slope Factor (mg/kg-day)⁻¹
Acephate	30560-19-1	8.70E-03	
Acetaldehyde	75-07-0		7.70E-03
Acrylamide	79-06-1	4.50E+00	4.50E+00
Acrylonitrile	107-13-1	5.40E-01	2.40E-01
Alachlor	15972-60-8	8.00E-02	
Aldrin	309-00-2	1.70E+01	1.70E+01
Aniline	62-53-3	5.70E-03	
Aramite	140-57-8	2.50E-02	2.50E-02
Aroclor 1016	12674-11-2	4.00E-01	4.00E-01
Aroclor 1016	12674-11-2	2.00E+00	2.00E+00
Aroclor 1221	11104-28-2	4.00E-01	4.00E-01
Aroclor 1221	11104-28-2	2.00E+00	2.00E+00
Aroclor 1232	11141-16-5	4.00E-01	4.00E-01
Aroclor 1232	11141-16-5	2.00E+00	2.00E+00
Aroclor 1242	53469-21-9	4.00E-01	4.00E-01
Aroclor 1242	53469-21-9	2.00E+00	2.00E+00
Aroclor 1248	12672-29-6	4.00E-01	4.00E-01
Aroclor 1248	12672-29-6	2.00E+00	2.00E+00
Aroclor 1254	11097-69-1	4.00E-01	4.00E-01
Aroclor 1254	11097-69-1		2.00E+00
Aroclor 1260	11096-82-5	4.00E-01	4.00E-01
Aroclor 1260	11096-82-5	2.00E+00	2.00E+00
Arsenic, Inorganic	7440-38-2	1.50E+00	5.00E+01
Atrazine	1912-24-9	2.22E-01	
Azobenzene	103-33-3	1.10E-01	1.10E-01
Benz[a]anthracene	56-55-3	7.30E-01	3.10E-01
Benzene	71-43-2	5.50E-02	2.90E-02
Benzidine	92-87-5	2.30E+02	2.30E+02
Benzo[a]pyrene	50-32-8	7.30E+00	3.10E+00
Benzo[b]fluoranthene	205-99-2	7.30E-01	3.10E-01
Benzo[k]fluoranthene	207-08-9	7.30E-02	3.10E-02
Benzotrichloride	98-07-7	1.30E+01	
Benzyl Chloride	100-44-7	1.70E-01	
Beryllium and compounds	7440-41-7	4.30E+00	8.40E+00
Bis(2-chloro-1-methylethyl)ether (Technical)	108-60-1	7.00E-02	3.50E-02
Bis(2-chloroethyl)ether	111-44-4	1.10E+00	1.10E+00
Bis(2-ethylhexyl)phthalate	117-81-7	1.40E-02	

Table K-10. Chemicals used to calculate mean slope factor values for calculating carcinogenic hazard value

Chemical	CAS #	Oral Slope Factor (mg/kg-day)⁻¹	Inhalation Slope Factor (mg/kg-day)⁻¹
Bis(chloromethyl)ether	542-88-1	2.20E+02	2.20E+02
Bromodichloromethane	75-27-4	6.20E-02	
Bromoform	75-25-2	7.90E-03	3.90E-03
Butadiene, 1,3-	106-99-0		1.80E+00
Cadmium (Diet)	7440-43-9		6.10E+00
Cadmium (Water)	7440-43-9		6.10E+00
Captafol	2425-06-1	8.60E-03	
Captan	133-06-2	3.50E-03	
Carbazole	86-74-8	2.00E-02	
Carbon Tetrachloride	56-23-5	1.30E-01	5.30E-02
Chloranil	118-75-2	4.03E-01	
Chlordane	057-74-9	3.50E-01	1.30E+00
Chloro-2-methylaniline HCl, 4-	3165-93-3	4.60E-01	
Chloro-2-methylaniline, 4-	95-69-2	5.80E-01	
Chlorobenzilate	510-15-6	2.70E-01	2.70E-01
Chlorodibromoethane	73506-94-2	8.40E-02	
Chloroform	67-66-3	6.10E-03	8.10E-02
Chloromethane	74-87-3	1.30E-02	6.30E-03
Chloronitrobenzene, o-	88-73-3	2.50E-02	
Chloronitrobenzene, p-	121-73-3	1.80E-02	
Chlorothalonil	1897-45-6	1.10E-02	
Chromium VI (chromic acid mists)	18540-29-9		4.10E+01
Chromium VI (particulates)	18540-29-9		4.10E+01
Chrysene	218-01-9	7.30E-03	3.10E-03
Coke Oven Emissions	8007-45-2		2.20E+00
Crotonaldehyde, trans-	123-73-9	1.90E+00	
Cyanazine	21725-46-2	8.40E-01	
Cyclohexane, 1,2,3,4,5-pentabromo-6-chloro-	87-84-3	2.30E-02	
DDD	72-54-8	2.40E-01	
DDE	72-55-9	3.40E-01	
DDT	50-29-3	3.40E-01	3.40E-01
Di(2-ethylhexyl)adipate	103-23-1	1.20E-03	
Diallate	2303-16-4	6.10E-02	
Dibenz[a,h]anthracene	53-70-3	7.30E+00	3.10E+00
Dibromo-3-chloropropane, 1,2-	96-12-8	1.40E+00	2.40E-03
Dibromochloromethane	124-48-1	8.40E-02	
Dibromoethane, 1,2-	106-93-4	8.50E+01	7.60E-01

Table K-10. Chemicals used to calculate mean slope factor values for calculating carcinogenic hazard value

Chemical	CAS #	Oral Slope Factor (mg/kg-day) ⁻¹	Inhalation Slope Factor (mg/kg-day) ⁻¹
Dichloro-2-butene, 1,4-	764-41-0		9.30E+00
Dichlorobenzene, 1,4-	106-46-7	2.40E-02	
Dichlorobenzidine, 3,3'-	91-94-1	4.50E-01	
Dichloroethane, 1,2-	107-06-2	9.10E-02	9.10E-02
Dichloroethylene, 1,1-	75-35-4	6.00E-01	1.20E+00
Dichloropropane, 1,2-	78-87-5	6.80E-02	
Dichloropropene, 1,3-	542-75-6	1.00E-01	1.40E-02
Dichlorvos	62-73-7	2.90E-01	
Dieldrin	60-57-1	1.60E+01	1.60E+01
Diethylstilbesterol	56-53-1	4.70E+03	4.90E+02
Dimethoxybenzidine, 3,3'-	119-90-4	1.40E-02	
Dimethylaniline HCl, 2,4-	21436-96-4	5.80E-01	
Dimethylaniline, 2,4-	095-68-1	7.50E-01	
Dimethylbenzidine, 3,3'-	119-93-7	9.20E+00	
Dimethylhydrazine, 1,1-	57-14-7	3.00E+00	1.72E+01
Dinitrotoluene Mixture, 2,4/2,6-	25321-14-6	6.80E-01	
Dinitrotoluene, 2,4-	121-14-2	6.80E-01	
Dinitrotoluene, 2,6-	606-20-2	6.80E-01	
Dioxane, 1,4-	123-91-1	1.10E-02	
Diphenylhydrazine, 1,2-	122-66-7	8.00E-01	8.00E-01
Direct Black 38	1937-37-7	8.60E+00	
Direct Blue 6	2602-46-2	8.10E+00	
Direct Brown 95	16071-86-6	9.30E+00	
Epichlorohydrin	106-89-8	9.90E-03	4.20E-03
Ethyl Acrylate	140-88-5	4.80E-02	
Ethylbenzene	100-41-4		3.85E-03
Ethylene Oxide	75-21-8	1.02E+00	3.50E-01
Ethylene Thiourea	96-45-7	1.10E-01	
Folpet	133-07-3	3.50E-03	
Fomesafen	72178-02-0	1.90E-01	
Formaldehyde	50-00-0		4.50E-02
Furazolidone	67-45-8	3.80E+00	
Furium	531-82-8	5.00E+01	
Furmecyclox	60568-05-0	3.00E-02	
Heptachlor	76-44-8	4.50E+00	4.50E+00
Heptachlor Epoxide	1024-57-3	9.10E+00	9.10E+00
Hexachlorobenzene	118-74-1	1.60E+00	1.60E+00

Table K-10. Chemicals used to calculate mean slope factor values for calculating carcinogenic hazard value

Chemical	CAS #	Oral Slope Factor (mg/kg-day)⁻¹	Inhalation Slope Factor (mg/kg-day)⁻¹
Hexachlorobutadiene	87-68-3	7.80E-02	7.80E-02
Hexachlorocyclohexane, Alpha-	319-84-6	6.30E+00	6.30E+00
Hexachlorocyclohexane, Beta-	319-85-7	1.80E+00	1.80E+00
Hexachlorocyclohexane, Gamma-	58-89-9	1.30E+00	
Hexachlorocyclohexane, Technical	608-73-1	1.80E+00	1.80E+00
Hexachlorodibenzo-p-dioxin, Mixture	19408-74-3	6.20E+03	4.55E+03
Hexachloroethane	67-72-1	1.40E-02	1.40E-02
Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX)	121-82-4	1.10E-01	
HpCDD, 2,3,7,8-	37871-00-4	1.50E+03	1.50E+03
HpCDF, 2,3,7,8-	38998-75-3	1.50E+03	1.50E+03
HxCDD, 2,3,7,8-	34465-46-8	1.50E+04	1.50E+04
HxCDF, 2,3,7,8-	55684-94-1	1.50E+04	1.50E+04
Hydrazine	302-01-2	3.00E+00	1.70E+01
Hydrazine Sulfate	10034-93-2	3.00E+00	1.70E+01
Indeno[1,2,3-cd]pyrene	193-39-5	7.30E-01	3.10E-01
Isophorone	78-59-1	9.50E-04	
Methoxy-5-nitroaniline, 2-	99-59-2	4.60E-02	
Methyl Hydrazine	60-34-4	3.00E+00	1.72E+01
Methyl-5-Nitroaniline, 2-	99-55-8	3.30E-02	
Methylaniline Hydrochloride, 2-	636-21-5	1.80E-01	
Methylene Chloride	75-09-2	7.50E-03	1.65E-03
Methylene-bis(2-chloroaniline), 4,4'-	101-14-4	1.30E-01	1.30E-01
Methylene-bis(N,N-dimethyl) Aniline, 4,4'-	101-61-1	4.60E-02	
Methylenebisbenzenamine, 4,4'-	101-77-9	2.50E-01	
Mirex	2385-85-5	1.80E+00	
Nickel Refinery Dust	NA		8.40E-01
Nickel Subulfide	12035-72-2		1.70E+00
Nitrofurazone	59-87-0	1.50E+00	
Nitropropane, 2-	79-46-9	9.50E+00	9.40E+00
Nitrosodiethanolamine, N-	1116-54-7	2.80E+00	
Nitrosodiethylamine, N-	55-18-5	1.50E+02	1.50E+02
Nitrosodimethylamine, N-	62-75-9	5.10E+01	5.10E+01
Nitroso-di-N-butylamine, N-	924-16-3	5.40E+00	5.40E+00
Nitroso-di-N-propylamine, N-	621-64-7	7.00E+00	
Nitrosodiphenylamine, N-	86-30-6	4.90E-03	
Nitrosomethylethylamine, N-	10595-95-6	2.20E+01	
Nitroso-N-ethylurea, N-	759-73-9	1.40E+02	

Table K-10. Chemicals used to calculate mean slope factor values for calculating carcinogenic hazard value

Chemical	CAS #	Oral Slope Factor (mg/kg-day) ⁻¹	Inhalation Slope Factor (mg/kg-day) ⁻¹
Nitrosopyrrolidine, N-	930-55-2	2.10E+00	2.10E+00
OCDD	3268-87-9	1.50E+02	1.50E+02
OCDF	39001-02-0	1.50E+02	1.50E+02
PeCDD, 2,3,7,8-	36088-22-9	7.50E+04	7.50E+04
PeCDF, 1,2,3,7,8-	57117-41-6	7.50E+04	7.50E+04
PeCDF, 2,3,4,7,8-	57117-31-4	7.50E+03	7.50E+03
Pentachloronitrobenzene	82-68-8	2.60E-01	
Pentachlorophenol	87-86-5	1.20E-01	
Phenylenediamine, o-	95-54-5	4.70E-02	
Phenylphenol, 2-	90-43-7	1.94E-03	
Polybrominated Biphenyls	59536-65-1	8.90E+00	
Polychlorinated Biphenyls (high risk)	1336-36-3	2.00E+00	2.00E+00
Polychlorinated Biphenyls (low risk)	1336-36-3	4.00E-01	4.00E-01
Polychlorinated Biphenyls (lowest risk)	1336-36-3	7.00E-02	
Prochloraz	67747-09-5	1.50E-01	
Propylene Oxide	75-56-9	2.40E-01	1.30E-02
Quinoline	91-22-5	1.20E+01	
Simazine	122-34-9	1.20E-01	
Sodium Diethyldithiocarbamate	148-18-5	2.70E-01	
Stirofos (Tetrachlorovinphos)	961-11-5	2.40E-02	
TCDD, 2,3,7,8-	1746-01-6	1.50E+05	1.50E+05
TCDF, 2,3,7,8-	51207-31-9	1.50E+04	1.50E+04
Tetrachloroethane, 1,1,1,2-	630-20-6	2.60E-02	2.60E-02
Tetrachloroethane, 1,1,2,2-	79-34-5	2.00E-01	2.00E-01
Tetrachloroethylene	127-18-4	5.20E-02	2.00E-03
Tetrachlorotoluene, p- alpha, alpha, alpha-	5216-25-1	2.00E+01	
Toluene-2,4-diamine	95-80-7	3.20E+00	
Toluidine, o- (Methylaniline, 2-)	95-53-4	2.40E-01	
Toluidine, p-	106-49-0	1.90E-01	
Toxaphene	8001-35-2	1.10E+00	1.10E+00
Trichloroaniline HCl, 2,4,6-	33663-50-2	2.90E-02	
Trichloroaniline, 2,4,6-	634-93-5	3.40E-02	
Trichloroethane, 1,1,2-	79-00-5	5.70E-02	5.70E-02
Trichloroethylene	79-01-6	1.10E-02	6.00E-03
Trichlorophenol, 2,4,6-	88-06-2	1.10E-02	1.00E-02
Trichloropropane, 1,2,3-	96-18-4	7.00E+00	
Trifluralin	1582-09-8	7.70E-03	

Table K-10. Chemicals used to calculate mean slope factor values for calculating carcinogenic hazard value

Chemical	CAS #	Oral Slope Factor (mg/kg-day)⁻¹	Inhalation Slope Factor (mg/kg-day)⁻¹
Trimethyl Phosphate	512-56-1	3.70E-02	
Trinitrotoluene, 2,4,6-	118-96-7	3.00E-02	
Vinyl Bromide	593-60-2		1.10E-01
Vinyl Chloride	75-01-4	1.40E+00	3.08E-02
geometric mean		0.71	1.70
count (n)		175	105

blank=no data

Source: Risk Assessment Information System (RAIS), http://risk.lsd.ornl.gov/cgi-bin/tox/TOX_9801 (downloaded 11/00): IRIS/HEAST Slope Factors.

REFERENCES

- Davis, G. A., L. Kincaid, M. Swanson, T. Schultz, J. Bartmess, B. Griffith, and S. Jones. 1994. *Chemical Hazard Evaluation for Management Strategies: A Method for Ranking and Scoring Chemicals by Potential Human Health and Environmental Impacts, Appendix E*, United States Environmental Protection Agency, EPA/600/R-94/177, September.
- EPA (U. S. Environmental Protection Agency). 2001. EPA data search of the U.S. EPA Ecotox Search engine (<http://www.epa.gov/ecotox>) provided to University of Tennessee, January.
- EPA. 2000a. *Flexographic Ink Options: A Cleaner Technologies Substitutes Assessment (DRAFT)*. EPA/744-R-00-004A&B. Washington, D.C. November.
- EPA. 2000b. EPA data search provided to the University of Tennessee, December.
- EPA. 1994. *Health Effects Assessment Summary Tables. Annual Update*. Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Office of Research and Development, Cincinnati, OH.
- EPA. 1987. *Health Effects Assessment for Dichlorobenzene*. Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Office of Research and Development, Cincinnati, OH.
- EPA. 1984. *Health Effects Document for Carbon Tetrachloride*. EPA/600/8-82-001F. Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Office of Research and Development, Cincinnati, OH.
- Geigig, J. and M. Swanson. 2000. *Printed Wiring Board Surface Finishes Draft Cleaner Technologies Substitutes Assessment*. University of Tennessee. EPA 744-R-00-013B, December.
- Geiger, D. L., L. T. Brooke, D. J. Call and C. E. Northcott, eds. 1984. *Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas)*, Vol. 1. Center for Lake Superior Environmental Studies, University of Wisconsin, Superior, WI.
- Geiger, D. L., L. T. Brooke, D. J. Call and C. E. Northcott, eds. 1985. *Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas)*, Vol. 2. Center for Lake Superior Environmental Studies, University of Wisconsin, Superior, WI.
- Geiger, D. L., L. T. Brooke, D. J. Call and C. E. Northcott, eds. 1986. *Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas)*, Vol. 3. Center for Lake Superior Environmental Studies, University of Wisconsin, Superior, WI.

APPENDIX K

Geiger, D. L., L. T. Brooke, D. J. Call and C. E. Northcott, eds. 1988. *Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas)*, Vol. 4. Center for Lake Superior Environmental Studies, University of Wisconsin, Superior, WI.

Geiger, D. L., L. T. Brooke, D. J. Call and C. E. Northcott, eds. 1990. *Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas)*, Vol. 5. Center for Lake Superior Environmental Studies, University of Wisconsin, Superior, WI.

HSDB (Hazardous Substances Data Bank). National Library of Medicine, Toxicology Data Network (TOXNET) (<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>).

IUCLID (International Uniform Chemical Information Database). 1996. European Chemical Bureau, European Commission - JRC, Environment Institute, Ispra, Italy.

Kincaid, L. E. and J. R. Geibig. 1998. *Printed Wiring Board Cleaner Technologies Substitutes Assessment: Making Holes Conductive*. University of Tennessee. EPA 744-R-98-004a,b, August.

NIOSH (National Institute of Occupational Safety and Health). 1978. *Occupational Health Guideline for Carbon Monoxide*.

Sax, N. I and R. J. Lewis. 1987. *Hazardous Chemicals Desk Reference*. VanNostrand Reinhold, New York.

SRC (Syracuse Research Corporation). 2000. SRC data search provided to the University of Tennessee, December.